

**TITLE 14**  
**STREETS AND SIDEWALKS**

**TITLE 14**  
**STREETS AND SIDEWALKS**

**Chapters:**

- 14.04**    **Street names**
- 14.12**    **Sidewalk specifications**

## **Chapter 12.04**

### **STREET NAMES**

#### **Sections:**

#### **14.04.010 Designated Street names**

#### **14.04.010 Designated Street Names**

- (1) WEST STREET: North from State Road 161 lying between the Charles Bailey and Seward Mason properties. (Res. 3-1973, May 8, 1973)

## Chapter 14.12

### SIDEWALK SPECIFICATIONS

#### Sections:

<b>14.12.010</b>	<b>Material</b>
<b>14.12.020</b>	<b>Width and thickness</b>
<b>14.12.030</b>	<b>Mixture</b>

**14.12.010 Material.** Walks must be made of concrete, made of either creek or river gravel which has been approved by one or more of the trustees. (Ord. 6, S1, June 6, 1924)

**14.12.020 Width and thickness.** Walks must be made four feet wide and five inches thick. (Res. Nov, 30, 1955) (Ord. 6, S2, June 6, 1924)

**14.12.030 Mixture.** Mixture, base must be four parts river gravel and one part cement. Skim Coat, two parts sand and one part cement one half inch thick. (Res. Nov, 30, 1955) (Ord. 6, S3, June 6, 1924)